



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/910,587	07/20/2001	Randal G. Martin	062986.0214	1407
7590	06/21/2006		EXAMINER	
Baker Botts L.L.P. Suite 600 2001 Ross Avenue Dallas, TX 75201-2980			HAILE, FEBEN	
			ART UNIT	PAPER NUMBER
			2616	

DATE MAILED: 06/21/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/910,587

Applicant(s)

MARTIN ET AL.

Examiner

Feben M. Haile

Art Unit

2616

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-18 is/are pending in the application.
- 4a) Of the above claim(s) ____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) ____ is/are allowed.
- 6) ☒ Claim(s) 1-18 is/are rejected.
- 7) ☐ Claim(s) ____ is/are objected to.
- 8) ☐ Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on ____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. ____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. ____. |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date ____. | 6) <input type="checkbox"/> Other: ____. |

DETAILED ACTION

1. In view of applicant's amendment filed April 11, 2006, the status of the application is still pending with respect to claims 1-18.

2. The amendment filed is insufficient to overcome the rejection of claims 1-18 based upon Doshi et al. (US 5,222,061), Forin (US 6,594,7001), and Jones et al. (US 6,944,173) as set forth in the last Office action because: the material added to the claims fail to further clarify a distinction between the Applicants invention and the cited references, thus the subject matter is not patentable.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 1-18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Doshi et al. (US 5,222,061), hereinafter referred to as Doshi, in view of Forin (US 6,594,701), and in view of Jones et al. (US 6,944,173), hereinafter referred to as Jones.

Regarding claim 1, Doshi discloses the limitations: generating a first sequence number (**figure 1 unit 125 and column 3 lines 10-16; a sequence number generator produces a count value**); inserting the first sequence number into the data packet (**figure 1 unit 120 and column 3 lines 17-20; a controller accepts the count value**

and adds it to a data packet as a packet sequence number), the subsequent data packet including a second sequence number (column 3 lines 12-16; the sequence number generator advances the count value to a succeeding number).

Doshi, however, fails to teach the limitations: generating a data packet in response to a flow control credit.

Forin discloses a receiver communicating credits to a sender and the sender constructing data packets based on these credits **(column 12 lines 50-53).**

It would have been obvious to one having ordinary skill in the art at the time the invention was made to incorporate Forin's credit list builder and reader into Doshi's transmitter and receiver. The motivation for such a modification being to eliminate data being lost, data being overwritten, and/or data being retransmitted due to the transmitter sending too much data to the receiver.

Neither Doshi, Forin, or their combination fail to further teach the limitations: selecting one of a plurality of channels to transfer the data packet; transferring the data packet over the selected one of the plurality of channels; transferring a subsequent data packet generated in response to a second flow control credit over a different one of the plurality of channels.

Jones discloses a receiver sending a credit packet to a transmitter bearing an assigned virtual channel for data transmission **(column 2 lines 45-47 and column 3 lines 19-21)**, a transmitter sending data to the receiver on the particular virtual channel designated by the credit packet **(column 2 lines 48-51 and column 3 lines 21-24),**

each data packet is transmitted from the transmitter to the receiver only when a credit packet is issued (**column 3 lines 30-32**).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to incorporate the element of Jones's receiver for sending credit packets to designate a particular virtual channel for transmission from a transmitter into the receiver of both Doshi and Forin. The motivation for such a modification being to enhance the reliability of data transmissions and to efficiently use bandwidth.

Regarding claim 2, Doshi discloses the limitations: incrementing the sequence number in response to transfer of the data packet (**column 3 lines 12-16; the sequence number generator advances the count value to a succeeding number**).

Regarding claim 3, Forin disclose the limitations: decrementing a number of flow control credits in response to transfer of the data packet (**column 12 lines 47-50; a credit list reader/processor removes a credit from a list once a sender uses that particular credit**).

Regarding claim 4, Forin disclose the limitations: receiving a reply, the reply including flow control credit (**column 17 lines 21-23; the credit list reader/processor receives a credit list and processes the credits in order to send data to a receiver**); incrementing a number of flow control credits in response to receipt of the reply (**column 18 lines 15-21; a credit list builder/communicator communicates a new credit list to the sender when it determines that the data has been received**).

Regarding claim 5, Doshi discloses resetting the sequence number to an initial value (**column 3 lines 10-16; the sequence number generator is a counter, it is**

Art Unit: 2616

obvious to one of ordinary skill in the art that once a counter reaches its maximum number it will reset itself to its original number).

Regarding claim 6, Doshi discloses the limitations: sequence number unit operable to generate a first sequence number (**figure 1 unit 125 and column 3 lines 10-16; a sequence number generator produces a count value**); the request channel controller operable to insert the first sequence number into the data packet (**figure 1 unit 120 and column 3 lines 17-20; a controller accepts the count value and adds it to a data packet as a packet sequence number**),

Doshi, however, fails to teach the limitation: a request channel controller operable to receive a data packet in response to a flow control credit.

Forin discloses a receiver communicating credits to a sender to control the flow of data packets sent by the sender (**column 11 lines 62-64**).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to incorporate Forin's credit list builder and reader into Doshi's transmitter and receiver. The motivation for such a modification being to eliminate data being lost, data being overwritten, and/or data being retransmitted due to the transmitter sending too much data to the receiver.

Neither Doshi, Forin, or their combination fail to further teach the limitations: the request channel controller operable to select one of plurality request channels, the request channel controller operable to transfer the data packet over the selected one of the plurality of request channels, the request channel controller operable to receive a subsequent data packet in response to a second flow control credit, the request channel

controller operable to insert a second sequence number into the subsequent data packet the request channel controller operable to select a different one of the plurality of request channels, the request controller operable to transfer the subsequent data packet over the different one of the plurality of request channels.

Jones discloses a receiver sending a credit packet to a transmitter bearing an assigned virtual channel for data transmission (**column 2 lines 45-47 and column 3 lines 19-21**), a transmitter sending data to the receiver on the particular virtual channel designated by the credit packet (**column 2 lines 48-51 and column 3 lines 21-24**), each data packet is transmitted from the transmitter to the receiver only when a credit packet is issued (**column 3 lines 30-32**).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to incorporate the element of Jones's receiver for sending credit packets to designate a particular virtual channel for transmission from a transmitter into the receiver of both Doshi and Forin. The motivation for such a modification being to enhance the reliability of data transmissions and to efficiently use bandwidth.

Regarding claim 7, Doshi discloses the limitations: wherein the request channel controller is operable to generate an increment signal (**column 3 lines 12-16; the count value is advanced to a succeeding value when it is incremented by a clock signal**), the sequence number unit operable to advance the sequence number in response to the increment signal (**column 3 lines 12-16; the sequence number generator advances the count value to the succeeding number**).

Regarding claim 8, Forin disclose the limitations: a credit counter unit operable to maintain a number of flow control credits (**column 12 lines 47-50; a credit list reader/processor maintains a list of credits received and used**).

Regarding claim 9, Forin discloses the limitations: wherein the request channel controller is operable to generate a decrement signal (**column 11 lines 62-64; a receiver communicates credits to a sender to control the flow of data packets sent by the sender**), the credit counter unit operable to reduce the number of flow control credits in response to the decrement signal (**column 12 lines 47-50; a credit list reader/processor removes a credit from a list once a sender uses that particular credit**).

Regarding claim 10, Forin disclose the limitations: wherein the credit counter unit is operable to increment the number of flow control credits in response to receipt reply including a flow control credit reply (**column 18 lines 15-21; a credit list builder/communicator communicates a new credit list to the sender when it determines that the data has been received**).

Regarding claim 11, Doshi discloses the limitations: each data packet including a sequence number (**column 3 lines 17-20; a controller adds a count value as a packet sequence number to a data packet**), the plurality of packets being received in a non-sequential order (**column 5 lines 9-10; a program determines if the data packet is received in sequence; it is obvious to one of ordinary skill in the art that if a program is needed to check if a packet is in sequence the packets can be received in a non-sequential order**); storing each of the plurality of data packets in a

Art Unit: 2616

buffer according to its sequence number (**figure 1 unit 210 and column 4 lines 3-12; packets are stored in a buffer**); reading the plurality of data packets in sequential order from the buffer according to the sequence number (**column 4 lines 8-14; the controller unloads packets that are in sequence from a buffer**).

Doshi, however, fails to teach the limitation: generating a flow control credit in response to each of the plurality of data packets being read from the buffer.

Forin discloses a receiver communicating credits indicative of application buffer sizes to a sender (**column 12 lines 50-53**).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to incorporate Forin's credit list builder and reader into Doshi's transmitter and receiver. The motivation for such a modification being to eliminate data being lost, data being overwritten, and/or data being retransmitted due to the transmitter sending too much data to the receiver.

Neither Doshi, Forin, or their combination fail to further teach the limitations: receiving a plurality of data packets over different ones of a plurality of channels.

Jones discloses sending data between a transmitter and receiver over a plurality of virtual channels using unique credit packets associated with each virtual channel (**column 2 lines 40-47**).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to incorporate the element of Jones's receiver for sending credit packets to designate a particular virtual channel for transmission from a transmitter into

the receiver of both Doshi and Forin. The motivation for such a modification being to enhance the reliability of data transmissions and to efficiently use bandwidth.

Regarding claim 12, Doshi discloses the limitations: setting a valid bit in response to a data packet being stored in a portion of the buffer associated with the valid bit (column 4 lines 3-5 and column 4 lines 20-25; the controller sets binary value for each received packet and stores the received packets in a buffer).

Regarding claim 13, Doshi discloses a controller that sets a binary value in correspondence with the sequence number in the packet (column 4 lines 3-8 and column 4 lines 15-20; the controller sets a binary value for each received packet which corresponds to its sequence number and stores the packet in a buffer); clearing the valid bit in response to a data packet being read from the associated portion of the buffer (column 4 lines 3-5 and column 4 lines 15-20; the controller sets a binary value for each received packet which corresponds to its sequence number, stores the packet in a buffer, and unloads the packet from the buffer; it is obvious to one having ordinary skill in the art that a bit, i.e. binary value, will reset itself once the state of its packet is completed).

Regarding claim 14, Doshi discloses the limitations: wherein the sequence number is used to directly index into the buffer (column 4 lines 3-8 and column 4 lines 15-20; the controller sets a binary value for each received packet which corresponds to its sequence number and stores the packet in a buffer).

Regarding claim 15, Doshi discloses the limitations: write port controller operable to receive a plurality of data packets in a non-sequential order (column 5

Art Unit: 2616

lines 9-10; a program determines if the data packet is received in sequence; it is obvious to one of ordinary skill in the art that if a program is needed to check if a packet is in sequence the packets can be received in a non-sequential order), each data packet including a sequence number (column 3 lines 17-20; a controller adds a count value as a packet sequence number to a data packet); a re-order buffer operable to store the plurality of data packets (column 4 lines 3-5; packets are stored in a buffer), the write port controller operable to place each data packet into the re-order buffer in response to its sequence number (column 4 lines 5-8; packets are stored in a buffer); a valid unit operable to generate a valid bit for each portion of the re-order buffer (column 4 lines 3-5 and column 4 lines 15-20; the controller tracks received packets in accordance with a bit map and stores the packets in a buffer), the valid bit unit operable to set a valid bit for a corresponding portion of the re-order buffer in response to a data packet being stored therein (column 4 lines 3-5 and column 4 lines 20-25; the controller sets a binary value for each received packet and stores the packet in a buffer); and a read port controller operable to provide data packets in a sequential order in response to a valid bit being set (column 4 lines 5-8 and column 4 lines 20-25; the controller sets a binary value for each received packet in accordance with its sequence number and unloads the packets in sequence).

Doshi et al. fails to teach the limitations: over different ones of a plurality of channels.

Jones discloses sending data between a transmitter and receiver over a plurality of virtual channels using unique credit packets associated with each virtual channel **(column 2 lines 40-47)**.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to incorporate the element of Jones's receiver for sending credit packets to designate a particular virtual channel for transmission from a transmitter into the Doshi's receiver. The motivation for such a modification being to enhance the reliability of data transmissions and to efficiently use bandwidth.

Regarding claim 16, Jones discloses the limitations: wherein the read port controller is operable to generate a flow control credit in response to providing a data packet from the re-order buffer **(column 2 lines 4-6; a receiver sends a credit packet only when it has a buffer available)**.

Regarding claim 17, Doshi discloses wherein the read port controller is operable to clear the valid bit upon providing a data packet from the re-order buffer **(column 4 lines 3-5 and column 4 lines 15-25; the controller sets a binary value for each received packet which corresponds to its sequence number, stores the packet in a buffer, and unloads the packet from the buffer; it is obvious to one having ordinary skill in the art that a bit, i.e. binary value, will reset itself once the state of its packet is completed)**.

Regarding claim 18, Doshi discloses the limitations: wherein the write port controller uses the sequence numbers to directly index the re-order buffer **(column 4 lines 3-5 and column 4 lines 15-20; the controller sets a binary value for each**

received packet which corresponds to its sequence number and stores the packet in a buffer).

Response to Arguments

4. Applicant's arguments filed April 11, 2006 have been fully considered but they are not persuasive.

On pages 7-8 of the amendment, the Applicant respectfully traverses that Doshi, Forin, nor Jones disclose selecting one of a plurality of channels for transmission of a second packet in a packet flow different than one of the plurality of channels used to transmit a first data packet of the packet flow. The Examiner respectfully disagrees with the Applicant. Doshi teaches generating packets with sequence numbers (**column 3 lines 10-31**). Forin teaches regulating data flow by constructing packets according to credits (**column 12 lines 50-56**). Jones discloses transmitting packets over one of a plurality of channels according to a unique channel number assigned to a credit packet (**column 3 lines 18-32**). Therefore as the claims are interpreted in their broadest sense, the Examiner believes that the combination of Doshi, Forin, and Jones does disclose the Applicant's invention.

Conclusion

5. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not

Art Unit: 2616

mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Feben M. Haile whose telephone number is (571) 272-3072. The examiner can normally be reached on 6:00am - 3:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ricky Ngo can be reached on (571) 272-3139. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

JH 06/14/2006


RICKY Q. NGO
SUPERVISORY PATENT EXAMINER